



Test Report

No. 2194206/JL

Date : Dec 14 2010

Page 1 of 2

BUILD RAY ENTERPRISE CO., LTD.
NO.225, GONGXUE 1ST STREET, SOUTH DIST.,
TAICHUNG CITY, 40245, TAIWAN

The following sample was submitted and identified on behalf of the client as CERAMIC STICK OF KNIFE SHARPENER.

SGS Job No. : 3694813
Style / Item No. : BRT-9010
Manufacturer : BUILD RAY ENTERPRISE CO., LTD.
Country of Origin : TAIWAN
Sample Receiving Date : DEC 07 2010
Testing Period : DEC 07 – 11 2010

Test Requested : Please refer to the result summary.

Test Method & Results : Please refer to next page(s).

Result Summary :

Test Requested	Conclusion
Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB) Section 30 and DIN 51032:1986 – Leachable Lead and Cadmium	PASS

Signed for and on behalf of
SGS Hong Kong Ltd.

Chan Yu Yan, Cyrus
Section Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Report

No. 2194206/JL

Date : Dec 14 2010

Page 2 of 2

Test Results :

Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB) Section 30 and DIN 51032:1986 – Leachable Lead and Cadmium

Method : With reference to EN1388-1:1995 and EN 1388-2:1995. Analysis was performed by Atomic Absorption Spectrometry.

For tableware and kitchen equipment made from ceramic, glass or glass ceramic :

Test Item	White Ceramic Stick (Knife Sharpener)				Detection Limit	Flatware Limit
	1	2	3	4		
Released Lead (mg/dm ²)	ND	ND	ND	ND	0.1	0.8
Released Cadmium (mg/dm ²)	ND	ND	ND	ND	0.01	0.07
Volume of 4% Acetic acid used (mL)	100	100	100	100	--	--
Surface Area (dm ²)	0.47	0.47	0.47	0.47	--	--
Comment	PASS				--	--

Note : 1. mg/dm² = milligram per square decimeter
2. ND = Not Detected

Remark : 1. Flatware – Articles with an internal depth not exceeding 25 mm and samples for testing enameled containers, parts of equipment and water heaters.
2. Hollow-ware – Articles do not fall into the category of flatware and storage containers. In borderline cases between flatware and hollowware, the article shall be classed as flatware.
3. Storage containers – Containers having a filling volume exceeding three liters.
4. Drinking rim –The drinking rim is the 20mm wide section, measured downwards from the upper edge along the wall of the vessel, of the external surface of a drinking vessel.



*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.