

Test Report

號碼(No.): CE/2019/61650 日期(Date): 2019/06/17 頁數(Page): 1 of 5

彪瑞實業有限公司 BUILD RAY ENTERPRISE CO., LTD.

台中市南區工學一街225號

NO. 225, GONGXUE 1ST., SOUTH DIST., TAICHUNG CITY 40245, TAIWAN

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By) 彪瑞實業有限公司 (BUILD RAY ENTERPRISE CO., LTD.)

樣品名稱(Sample Description) PINK POWDER COATING

樣品型號(Style/Item No.) BR-2996 收件日期(Sample Receiving Date) 2019/06/11

測試期間(Testing Period) 2019/06/11 to 2019/06/17

測試需求(Test Requested) 依據客戶要求,檢測多環芳香烴含量. (As specified by client, to test Polycyclic

Aromatic Hydrocarbons (PAHs).)

測試結果(Test Results) 請參閱下一頁 (Please refer to following pages).

結(Summary) 根據客戶所提供的樣品,其多環芳香烴測試結果符合德國產品安全委員會(AfPS) GS PAHs

第 2 類 「列於德國產品安全法之其他產品」之限值要求 (Based upon the performed tests on the submitted sample(s), the test results of PAHs comply with the limits of PAHs requirement (Category 2) Other products under ProdSG as set

by German Committee on Product Safety (AfPS) GS PAHs.)

Signed for and behalf of SGS TAIWAN LTD. Chemical Laboratory - Taipei



Test Report

號碼(No.): CE/2019/61650 日期(Date): 2019/06/17 頁數(Page): 2 of 5

彪瑞實業有限公司 BUILD RAY ENTERPRISE CO., LTD. 台中市南區工學一街225號 NO. 225, GONGXUE 1ST., SOUTH DIST., TAICHUNG CITY 40245, TAIWAN

測試結果(Test Results)

測試部位(PART NAME) No.1 : 粉紅色粉末 (PINK POWDER)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	MDL	結果 (Result) No.1
多環芳香烴 / Polycyclic Aromatic Hydrocarbons				
(PAHs)				
苊 / Acenaphthene (CAS No.: 83-32-9)			0.2	n. d.
苊烯 / Acenaphthylene (CAS No.: 208-96-8)			0.2	n. d.
蔥 / Anthracene (CAS No.: 120-12-7)				n. d.
苯駢蒽 / Benzo[a]anthracene (CAS No.: 56-55-3)			0.2	n. d.
苯駢(a)芘 / Benzo[a]pyrene (CAS No.: 50-32-8)			0.2	n. d.
苯(b)苯駢芴 / Benzo[b]fluoranthene (CAS No.: 205-99-2)			0.2	n. d.
苯駢菲 / Benzo[g, h, i]perylene (CAS No.: 191-24-2)				n. d.
苯駢(k)螢蔥 / Benzo[k]fluoranthene (CAS No.: 207-08-9)		參考AfPS GS 2014:01 PAK方法,	0.2	n. d.
Chrysene (CAS No.: 218-01-9)		以氣相層析/質譜儀檢測. / With	0.2	n. d.
二苯駢蒽 / Dibenzo[a, h]anthracene (CAS No.: 53-70-3)	mg/kg	mg/kg reference to AfPS GS 2014:01 PAK method. Analysis was performed by GC/MS.		n. d.
苯駢苊 / Fluoranthene (CAS No.: 206-44-0)				n. d.
芴 / Fluorene (CAS No.: 86-73-7)				n. d.
茚酮芘 / Indeno[1, 2, 3-c, d] pyrene (CAS No.: 193-39-5)				n. d.
茶 / Naphthalene (CAS No.: 91-20-3)			0.2	n. d.
菲 / Phenanthrene (CAS No.: 85-01-8)			0.2	n. d.
芘 / Pyrene (CAS No.: 129-00-0)			0. 2	n. d.
苯(j)苯駢芴 / Benzo[j]fluoranthene (CAS No.: 205-82-3)			0.2	n. d.
苯駢(e)芘 / Benzo[e]pyrene (CAS No.: 192-97-2)				n. d.
多環芳香烴18項總和 / Sum of 18 PAHs			-	n. d.

備註(Note):

- 1. mg/kg = milligram per kilogram
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出)
- 4. "-" = Not Regulated (無規格值)



Test Report

號碼(No.): CE/2019/61650 日期(Date): 2019/06/17 頁數(Page): 3 of 5

彪瑞實業有限公司 BUILD RAY ENTERPRISE CO., LTD. 台中市南區工學一街225號

NO. 225, GONGXUE 1ST., SOUTH DIST., TAICHUNG CITY 40245, TAIWAN

德國產品安全委員會(AfPS) GS PAHs 要求 /

AfPS (German commission for Product Safety): GS PAHs requirements

	第1類(Category 1)	第2類(Category 2)		第3類(Category 3)		
項目 (Parameter)	接觸(超過30秒). (Material indented to be put in the mouth or toys with intended skin contact (longer than 30 s).)	不屬於第1類的材料並可預見與皮膚接觸逾30秒(長期或經常與皮膚接觸). (Materials not falling under category 1 with foreseeable contact to skin for longer than 30 seconds (longterm skin or frequent contact).)		可預見與皮膚接觸短於30秒(短期與皮膚接觸),以及不屬於第1類或第2類的材料. (Materials not falling under category 1 or 2 with foreseeable contact to skin for less than 30 seconds (shortterm skin contact).)		
		列於2009/48/EC 之玩具(Toy under 2009/48/EC)	列於德國產品安全 法之其他產品 (Other products under ProdSG)	列於2009/48/EC 之玩具 (Toy under 2009/48/EC)	列於德國產品安全 法之其他產品 (Other products under ProdSG)	
Naphthalene	< 1	<	2	< 10		
Acenaphthylene						
Acenaphthene						
Fluorene						
Phenanthrene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum	
Anthracene						
Fluoranthene						
Pyrene						
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[e]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Indeno[1, 2, 3-c, d] pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Dibenzo[a, h]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[g, h, i]perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
18項PAH總濃度 (Sum of 18 PAH)	< 1	< 5	< 10	< 20	< 50	

單位(Unit):mg/kg




Test Report

號碼(No.): CE/2019/61650 日期(Date): 2019/06/17 頁數(Page): 4 of 5

彪瑞實業有限公司 BUILD RAY ENTERPRISE CO., LTD. 台中市南區工學一街225號 NO. 225, GONGXUE 1ST., SOUTH DIST., TAICHUNG CITY 40245, TAIWAN

多環芳香烴分析流程圖 / Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)

測試人員:涂雅苓 / Technician: Yaling Tu 測試負責人:張啟興 / Supervisor: Troy Chang






Test Report

號碼(No.): CE/2019/61650 日期(Date): 2019/06/17 頁數(Page): 5 of 5

彪瑞實業有限公司 BUILD RAY ENTERPRISE CO., LTD. 台中市南區工學一街225號 NO. 225, GONGXUE 1ST., SOUTH DIST., TAICHUNG CITY 40245, TAIWAN

> * 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

> > CE/2019/61650



** 報告結尾(End of Report) **